Trop. Sci. 1993, **33**, 433–437

Author Index

ABDEL AZIZ M.O. *see* MAHDI A.A., 37
ADERIYE B.I. and MBADIWE U.V. Evaluation of alcoholic drink from cashew biomass extract, 240
AHMAD S. *see* SHAFI M.M., 350
AHMED S.M. *see* SHAFI M.M., 350
AIBOR A.M. *see* OYEWOLE O.W., 9
AKANO D.A., ATANDA O.O. and OGUNDIPE H.O. Effect of storage on some nutritional qualities of soya beans, 95
AMES G.R. *see* LAKSHMANAN P.T., 75
ASHENAFI M. and BEYENE F. Effect of container smoking and udder cleaning on the microflora and keeping quality of raw milk from a dairy farm in Awassa, 368
ATANDA O.O. *see* AKANO D.A., 95

BANDARA K.M.C. *see* RATNAYAKA H.H., 163
BANERJEE A. *see* REDDY M.J., 63
BARKAI-GOLAN R., PADOVA R., ROSS I., LAPIDOT M., COPEL A. and DAVIDSON H. Influence of hot water dip and γ-irradiaton on postharvest fungal decay of Galia melons, 386
BEHERA M.K. *see* PATRO B., 131
BEYENE F. *see* ASHENAFI M., 368
BHANSALI R.R. Bud culture for shoot multiplication and plantlet formation of *Tecomella undulata* (Rohida), a woody tree of the arid zone, 1
BHATT B.P., CHAUDAN D.S. and TODARIA N.P. Phytotoxic effects of tree crops on germination and radicle extrension of some food crops, 69
BISWAS J.C. *see* SATTAR S.A., 325
BLACK R. Practical perspectives on plant clinics in less-developed countries, 81
BLUNDEN G. *see* BRADBURN N., 418
BOXALL R.A. *see* COMPTON J.A.F., 283
BRADBURN N., BLUNDEN G., COKER R.D. and JEWERS K. Aflatoxin contamination of maize, 418
BREAG G.R. *see* DREW P.J., 246
BRETTELL J.K. *see* HILLOCKS R.J., 121
BROWN R. *see* EVES A., 183
BROWN R.T. *see* LAKSHMANAN P.T., 75
BUTT N.M., DONART G.B., SOUTHWARA M.G., PIEPER R.D. and MOHAMMAD N. Effect of defoliation on plant growth of Napier grass, 111

CHAUDAN D.S. *see* BHATT B.P., 69
COKER R.D. *see* BRADBURN N., 418
COMPTON J.A.F., TYLER P.S., HINDMARSH P.S., GOLOB P., BOXALL R.A. and HAINES C.P. Reducing losses in small farm grain storage in the tropics, 283
COPEL A. *see* BARKAI-GOLAN R., 386

DAS G.P. Alternative hosts of the sweet potato weevils, *Cylas formicularis* complex, 101
DAVIDSON H. *see* BARKAI-GOLAN R., 386
DONART G.B. *see* BUTT N.M., 111
DREW P.J., BREAG G.R. and MARDER R.C. Copra production using the coconut shell carbonization with waste heat recovery technology, 246

EKUNDAYO C.A. *see* ORUADE-DIMARO E.A., 27
EVES A. and BROWN R. The effect of traditional drying processes on the nutritional value of fish, 183

FISH D.M. and TRIM D.S. A review of research into the drying of cassava chips, 191
FISH D.M., KENNEDY L. and TRIM D.S. Development of an improved flat plate solar air heater using porous organic absorbers, 268

GOLOB P. *see* COMPTON J.A.F., 283
GOPAKUMAR K. *see* JOSEPH J., 17
GOUGH M.C. and GREEN C.L. Quality maintenance during container vessel shipment of black pepper, 390
GREEN C.L. *see* GOUGH M.C., 390

HAINES C.P. *see* COMPTON J.A.F., 283
HENSHAW F.O. and LAWAL S.A. Effects of processing method on the functional properties of cowpea flour, 377
HILLOCKS R.J. and BRETTELL J.H. The association between honeydew and growth of *Cladosporium herbarum* and other fungi on cotton lint, 121
HINDMARSH P.S. *see* COMPTON J.A.F., 283
HUANG A.S. and LIN H.L. Qualitative measurements of total riboflavin in Hawaii-grown seaweeds, 153

IBIYEMI S.A. *see* OLOAFE O., 226

JAISWAL A.K. and SRIVASTAVA U.S. Plants as a natural source of insect growth regulators, 411
JEWERS K. *see* BRADBURN N., 418
JONES M.J. *see* TETTEY E.C.-T., 401
JOSEPH J., VIJAYAN P.K. and GOPAKUMAR K. Flying fish: spoilage at ambient temperature and in ice, and processing, 17

KALENGA SAKA J.D. Reduction of cyanide content during cooking and sun-drying of Cassava (*Manihot esculenta* Crantz) leaves, 345
KHER-UN-NISA *see* RIAZ F., 232

LAKSHMANAN P.T., BROWN R.T. and AMES G.R. Studies on nucleotide degradation in Rainbow trout muscle to assess quality change, 75
LAPIDOT M. *see* BARKAI-GOLAN R., 386
LAWAL S.A. *see* HENSHAW F.O., 377
LIN H.L. *see* HUANG A.S., 153

MAHDI A.A. and ABDEL AZIZ M.O. Response of three soya bean cultivars to strain of *Bradyrhizobium japonicum* and fertilizer nitrogen, 37

MARDER R.C. *see* DREW P.J., 246
MBADIWE U.V. *see* ADERIYE B.I., 240
MOHAMMAD N. *see* BUTT N.M., 111
MRIDHA A.J. *see* SATTAR S.A., 325
MUKER H.S. and SHARMA H.L. Effect of WA male sterile cytoplasm in rice, 209
MUSTAPHA J. *see* OLOAFE O., 226

NARASIMHAM P. *see* THAMIZHARASAI V., 45
NJUGUNA C.K. *see* OWOUR P.O., 359

OGUNDIPE H.O. *see* AKANO D.A., 95
OLOAFE O., MUSTAPHA J. and IBIYEMI S.A. Amino acid and mineral compositions of some Nigerian chillies, 226
ORUADE-DIMARO E.A. and EKUNDAYO C.A. The biology of *Chalara paradoxa* (Desynes) Sacc. causing fruit rot of Raphia palm in Nigeria, 27
OWOUR P.O. and NJUGUNA C.K. Comparison of the chemical quality parameters of black tea from different varieties of *Camellia sinensis* L. and their response to methods of manufacture, 359
OYEWOLE O.W. and AIBOR A.M. Fermentation of cassava with cowpea and soybean for an enriched fufu, 9

PADOVA R. *see* BARKAI-GOLAN R., 386
PATRO B. and BEHERA M.K. Bionomics of *Paragus* (Paragus) *serratus* (Fabricium) (Diptera: Syrphidae), a predator of the bean aphid, *Aphis craccivora* Koch 131
PERVEZ A. *see* SHAFI M.M., 350
PIEPER R.D. *see* BUTT N.M., 111
PRZYBYSZEWSKI J. The use of Neem seed and leaf extracts to control lepidopteran pests of cabbage in Kaedi, Mauritania, West Africa, 217

QADRI R.B. *see* RIAZ F., 232
QADRI R.B. *see* ZUBERI R., 171

RATNAYAKA H.H., BANDARA K.M.C. and WEERASINGHE A.S.P. Cropping systems development with *Solanum xanthocarpum* in Mahaweli system C of Sri Lanka, 163
RAVINDRAN G. and WANASUNDERA J.P.D. Chemical changes in yam tubers (*Dioscorea alata* and *D. esculenta*) during storage, 57
REDDY M.J., BANERJEE A. and SHETTY H.S. Seed resistance to *Aspergillus flavus* colonization in different cultivars of maize and sunflower and aflatoxin B1 production in autoclaved kernels, 63
RIAZ F., KHER-UN-NISA and QADRI R.B. Lipid and cholesterol counts of popular varieties of finfish and shellfish found in Pakistan coastal waters, 232
RIAZ F. *see* ZUBERI R., 171
ROSS I. *see* BARKAI-GOLAN R.

SATTAR S.A., BISWAS J.C. and MRIDHA A.J. Over-aged excised seedlings for transplanted rice, 325
SHAFI M.M., PERVEZ A., AHMAD S. and AHMED S.M. Some approaches to enhancing poison bait acceptance in the lesser bandicoot rat, *Bandicota bengalensis*, 350
SHAMSHAD S.I. *see* ZUBERI R., 171
SHARMA H.L. *see* MUKER H.S., 209
SHETTY H.S. *see* REDDY M.J., 63
SILVERSIDE D.E. *see* TETTEY E.C.-T, 401
SOKARI T.G. and WACHUKUWU C.K. Detoxification of ijapu, a fermented cassava product similar to potato chips, 145
SOUTHWARA M.G. *see* BUTT N.M., 111
SRIVASTAVA U.S. *see* JAISWAL A.K., 411

TAN C.J. *see* YU S.Y., 338
THAMIZHARASAI V. and NARASIMHAM P. Growth of *Aspergillus niger* on onion bulbs and its control by heat and sulphur dioxide treatments, 45
TETTEY E.C.-T., JONES M.J. and SILVERSIDE, D.E. Meat drying in a hot and humid climate using convection type solar dryers, 401
TODARIA N.P. *see* BHATT B.P., 69
TRIM D.S. *see* FISH D.M., 191
TYLER P.S. *see* COMPTON J.A.F., 283

VIJAYAN P.K. *see* JOSEPH J., 17

WACHUKUWU C.K. *see* SOKARI T.G., 145
WANASUNDERA J.P.D. *see* RAVINDRAN G., 57
WEERASINGHE A.S.P. *see* RATNAYAKA H.H., 163

YEANG S.B. *see* YU S.Y., 137
YU S.Y. Effect of rice starch on the linear expansion of fish crackers (keropok), 319
YU S.Y. Utilization of *Decapterus russelli* in fish cakes and surimi, 330
YU S.Y. and TAN C.J. Effect of whey protein concentrate and carrageenan on the acceptability and chemical composition of fishballs, 338
YU S.Y. and YEANG S.B. Effect of type of starch on the quality of fishballs, 137

ZUBERI R., RIAZ F., SHAMSHAD S.I. and QADRI R.B. Preparation of fish silage by microbial fermentation, 171

Subject Index

aflatoxin B_1 production
  in maize seeds, 63
  in sunflower seeds, 63
aflatoxin contamination of maize, 418
age of rice seedlings, effect on transplantation, 325
agroforestry tree crops, phytotoxic effects of, 69
alcohol, from cashew biomass, 240
allelopathy, 69
Allium cepa, 45
Alternaria alternata, 386
Alternaria spp., growth on cotton lint, 121
amino acid content of Nigerian chillies, 226
angiosperm, 411
Aphid species, predation by *Paragus serratus*, 131
Aphis craccivora, 131
Aspergillus flavus, 63, 418
Aspergillus niger, 45
  control, 45
  growth on onion bulbs, 45
Aspergillus nomius, 418
Aspergillus parasiticus, 418
Azadirachta indica, 217

bacteria, lactic acid, 171
bandicoot rat, 350
Bandicota bengalensis, 350
bark leachates, phytotoxic effects of, 69
Bemisia tabaci, 121
bean aphid, 131
bionomics of *Paragus serratus*, 131
black pepper, transport by sea, 390
Bookshelf, 105, 213, 322, 429
Bradyrhizobium japonicum, 37
bud culture of *Tecomella undulata*, 1

Camellia sinensis, 359
Capsicum annuum, 226
Capsicum frutescens, 226
carbonization of coconut shells, 246
carrageenan as additive in fishbails, 338
cashew pomace, 240
cassava, 9, 145, 191, 345
  cyanide content, 191, 345
  detoxification, 145, 191
  drying, 191, 345
  fermentation, 9, 145
  fufu, 9
  ijapu, 145
  processing, 191
Ceratocystis paradoxa, 27
Chalara paradoxa, 27
chemical composition of black teas, 359
chillies, 226
cholesterol in finfish and shellfish, 232
Cladosporium herbarum, 121
coconut, 246
coconut shell carbonization, 246
coir fibres, use in solar collectors, 268
colonization of seeds by *Aspergillus flavus*, 63
conidia, 27
container cleaning, 368
container smoking, 368
control of lepidoptera in cabbage, 217
copra production, 246
cotton lint, 121
cowpea flour, 377
crop diversification in Sri Lanka, 163
CTC manufacture of black tea, 359
cutting height of Napier grass, 111
cutting interval of Napier grass, 111
Cylas formicarius, 101
Cypselurus suttoni, 17

Decapterus russelli, 330
defoliation of Napier grass, 111
detoxification of ijapu, 145
Dioscorea alata, 57
Dioscorea esculenta, 57
diamondback moth, 217
drying
  cassava, 191
  cassava leaves, 345
  meat, 401
Dysdercus cingulatus, 411

efficiency of solar collectors, 268
Enteromorpha prolifera, 153
expansion of fish crackers, 319

fermentation
  cashew biomass, 240
  cassava, 9, 145
  production of fish silage, 171
fertilizer nitrogen, 37, 163
fish
  available lysine in, 183
  balls, 137, 338
  cakes, 330
  crackers, 319
  curing, 17
  Cypselurus suttoni, 17
  Decapterus russelli, 330
  dried, 183
  finfish, 232
  flying fish, 17
  Hirundichthys coramandelensis, 17
  nutritional values of, 183
  Rainbow trout, 75
  roes, 17
  Salmo gairdneri, 75
  shellfish, 232
  silage preparation, 171
  spoilage, 17
  storage, 17
  sun drying of, 183
feeding potential of *Paragus serratus*, 131
fishballs, additives, 338
fishballs, quality, 137

fish cakes, 330
fish crackers, linear expansion, 319
fish silage, 171
flat plate solar collector, 268
flying fish, 17
food crops, radicle extension in, 69
frozen storage of surimi, 330
fufu, 9
fumigation
  grain stores, 283
  onion bulbs, 45
functional properties of cowpea flour, 377
fungal decay in Galia melons, 386
fungi
  Alternaria alternata, 386
  Alternaria spp., 121
  Aspergillus flavus, 63, 418
  Aspergillus niger, 45
  Aspergillus nomius, 418
  Aspergillus parasiticus, 418
  causing decay in melons, 386
  Cladosporium herbarum, 121
  colonization of maize seeds, 63
  colonization of sunflower seeds, 63
  Fusarium spp., 386
  growth on cotton lint, 121
  growth on onion bulbs, 45
  Rhizopus stolonifer, 121
  suppression by γ-irradiation, 386
  Trichothecium roseum, 386
fungicides, 27
Fusarium spp., 386

Galia melons, fungal decay in, 386
γ-irradiation of melons, 386
germination
  inhibition by agroforestry tree crops, 69
  leguminous food crops, 69
  Raphia palm, 27
Glycine max, 9, 37
Gossypium hirsutum, 121
Gracilaria parrispora, 153
Gracilaria tiwahae, 153
grain storage on small farms, 283
grain store structures, 283
grain yield in transplanted rice, 325
growth of Napier grass, 111

Hawaii, 153
heat treatment
  of melons, 386
  of onion bulbs, 45
Helianthus annus, 63
Hirundichthys coramandelensis, 17
honeydew, 121

ijapu, 145
inducton of peel damage in melons, 386
insect growth regulators, 411
Ipomoea batatus, 101

keeping quality of raw milk, 368
keropok, 319

lactic acid bacteria, 171
leaching of ijapu, 145
leaf extracts, 217
leaf leachates, phytotoxic effects of, 69
legumes in fufu production, 9
lepidopteran pests of cabbage, 217
lipid content of finfish and shellfish, 232
lysine, 183

maize
  aflatoxin contamination, 418
  resistance to *Aspergillus flavus*, 63, 418
  storage in small farms, 283
Malawi, 345
male sterile cytoplasm in rice, 209
Manihot esculenta, 9, 145, 191, 345
manufacturing processes of black tea, 359
Mauritania, 217
meat drying, 401
microflora in raw milk, 368
micropropagation of *Tecomella undulata*, 1
milk, keeping quality, 368
mineral content of Nigerian chillies, 226

Napier grass
  cutting height, 111
  cutting interval, 111
  defoliation, 111
  growth, 111
neem, 217
Nigerian chillies, composition, 226
nitrogen
  fertilizer, 37, 163
  volatile base, in Rainbow trout, 75
nori, 153
nucleotides
  degradation in Rainbow trout, 75
  riboflavin in seaweeds, 153
nutrients in yam, 57
nutritional value of dried fish, 183

onion bulbs, control of *Aspergillus niger* in, 45
orthodox manufacture of black tea, 359
Oryza sativa, 209
oxalates in yam tubers, 57

Pakistan, 232
palatability of poison bait, 350
Paragus serratus, 131
Pennisetum purpureum, 111
phytates in yam tubers, 57
plant clinics in less developed countries, 81
plant extracts in control of insect growth, 411
plant health, 81
plant population, 163
Plutella xylostella, 217
poison bait acceptance in the bandicoot rat, 350
porous collectors in solar dryers, 268
Porphyra tenera, 153
production of copra, 246
processing of cassava, 191
processing of cowpea flour, 377

quality
  fishballs, 137, 338
  fish crackers, 319
  maintenance during transport of pepper, 390
  parameters of black tea, 359

radicle extension of food crops, 69
Rainbow trout, quality changes in, 75
Raphia palm, 27
raw milk, keeping quality, 368
regulation of insect growth, 411
relative humidity
  in mycelial growth, 27
  in seed germination, 27
Rhizopus stolonifer, growth on cotton lint, 121
riboflavin, 153
riboflavin 5′ phosphate, 153
rice, 209
rice starch in fish crackers, 319
rice seedlings, 325
Rohida, 1

Salmo gairdneri, 75
sauerkraut, 171
sea transport of black pepper, 390
seaweed, vitamin B_2 content, 153
seeds
  maize, aflatoxin B_1 production, 63
  neem, extracts of in control of cabbage pests, 217
  Raphia palm, germination, 27
  resistance to *Aspergillus flavus*, 63
  sunflower, aflatoxin B_1 production, 63
small farms, grain storage, 283
Solanum xanthocarpum, 163
solar cabinet drying of meat, 401
solar collectors, 268
solar dryers, 401
sooty mould, 121
soya beans
  in fufu production, 9
  inoculation with *Bradyrhizobium japonicum*, 37
  response to fertilizer nitrogen, 37
spoilage of fish, 17
Sri Lanka, Mahaweli system C, 163
starch content of fish crackers, 319
starch, effect on quality of fishballs, 137
storage
  cereals, 283
  fish silage, 171
storage *cont.*
  fish, spoilage during, 17
  fumigation of grain stores, 283
  grains, in small farms, 283
  pest control, 283
  postharvest losses, 283
  Rainbow trout, nucleotide degradation, 75
  yam tubers, 57
straw, use in solar collectors, 268
Sudan, use of fertilizer nitrogen in, 37
sulphur dioxide in controlling *Aspergillus niger*, 45
sun drying
  of fish, 183
  of meat, 401
sunflower resistance to *Aspergillus flavus*, 63
suppression of decay in melons, 386
surimi, 330
sweet potato weevils, 101

taste additives in poison bait, 350
Tecomella undulata
  bud culture, 1
  propagation, 1
tissue culture of *Tecomella undulata*, 1
transplantation of rice seedlings, 325
Trichthecium roseum, 386

udder washing, 368
upland cropping systems, 163

vitamin B_2 in seaweeds, 153
volatile base nitrogen in Rainbow trout, 75

WA cytoplasm in rice, 209
West Africa, 217
whey protein in fishballs, 338
whitefly, 121

Yam
  chemical changes during storage, 57
  nutrient content of, 57

Zea mays, 63, 418